

NEVER SEEZ BLUE MOLY Revision Number 2

Revision Date 26-Mar-2019 Supersedes Date: 29-Oct-2014

1. Identification

1.1. Product Identifier

Product Name NEVER SEEZ BLUE MOLY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use lubricant.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

2.2. Label Elements

EMERGENCY OVERVIEW

Danger

Hazard statements

May cause an allergic skin reaction Suspected of causing cancer Causes damage to organs through prolonged or repeated exposure



NEVER SEEZ BLUE MOLY Revision Number 2

Supersedes Date: 29-Oct-2014

Revision Date 26-Mar-2019

Appearance Paste Physical State Solid Odor Petroleum

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Nickel	7440-02-0	7 - 13
Molybdenum(IV) sulfide	1317-33-5	7 - 13
Zinc oxide	1314-13-2	1 - 5
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)-	25869-00-5	1 - 5
Aluminum	7429-90-5	0.1 - 1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Eye contactImmediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician

Revision Number 2 Supersedes Date: 29-Oct-2014

immediately.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. May cause sensitization by

Revision Date 26-Mar-2019

skin contact. In the case of skin irritation or allergic reactions see a physician.

Inhalation Move victim to fresh air. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT

induce vomiting. Call a physician or poison control center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

May cause sensitization by skin contact. Treat symptomatically.

4.4. Reference to Other Sections

NEVER SEEZ BLUE MOLY

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion Data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

NEVER SEEZ BLUE MOLY

Revision Number 2 Supersedes Date: 29-Oct-2014

not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of

Revision Date 26-Mar-2019

spill/leak.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Absorb or cover with dry earth, sand or

other non-combustible material and transfer to containers.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. After contact with skin, wash immediately with plenty of water and soap. Wash contaminated

clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place.

Incompatible materials None known based on information supplied.

7.3. Specific end use(s)

Specific Use(s)

lubricant.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines . This product contains substances which in their raw state are powder form, however in

this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely

NEVER SEEZ BLUE MOLY Revision Number 2

Revision Date 26-Mar-2019

Supersedes Date: 29-Oct-2014

to occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Nickel 7440-02-0	TWA: 1.5 mg/m³ inhalable particulate matter	IDLH: 10 mg/m³ IDLH: 10 mg/m³ Ni TWA: 0.015 mg/m³ TWA: 0.015 mg/m³ except Nickel carbonyl Ni	TWA: 1 mg/m³	TWA: 1 mg/m³
Molybdenum(IV) sulfide 1317-33-5	TWA: 10 mg/m³ Mo inhalable particulate matter TWA: 3 mg/m³ Mo respirable particulate matter	IDLH: 5000 mg/m³ Mo	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ STEL: 20 mg/m³
Zinc oxide 1314-13-2	STEL: 10 mg/m³ respirable particulate matter TWA: 2 mg/m³ respirable particulate matter	IDLH: 500 mg/m³ Ceiling: 15 mg/m³ dust TWA: 5 mg/m³ dust and fume STEL: 10 mg/m³ fume	TWA: 5 mg/m³ fume TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m³ TWA: 10 mg/m³ STEL: 10 mg/m³
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)- 25869-00-5	TWA: 1 mg/m³ Fe	IDLH: 25 mg/m³ CN TWA: 1 mg/m³ Fe	TWA: 5 mg/m³ CN S* as CN	TWA: 1 mg/m³ TWA: 5 mg/m³ STEL: 2 mg/m³
Aluminum 7429-90-5	TWA: 1 mg/m³ respirable particulate matter	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust TWA: 5 mg/m³ Al	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ TWA: 5 mg/m³

Chemical name	Argentina	Brazil	Chile	Venezuela
Nickel	TWA: 1.5 mg/m ³	-	TWA: 0.88 mg/m ³	TWA: 1.5 mg/m ³
7440-02-0				
Molybdenum(IV) sulfide	TWA: 10 mg/m ³	-	TWA: 8.75 mg/m ³	TWA: 10 mg/m ³
1317-33-5	TWA: 3 mg/m ³			TWA: 3 mg/m ³
Zinc oxide	TWA: 5 mg/m ³	-	TWA: 4.4 mg/m ³	STEL: 10 mg/m ³
1314-13-2	TWA: 10 mg/m ³			TWA: 2 mg/m ³
	STEL: 10 mg/m ³			TWA: 10 mg/m ³
Ferrate(4-),	Ceiling: 5 mg/m ³	-	Ceiling: 4.7 ppm	TWA: 1 mg/m ³
hexakis(cyano-C)-,	TWA: 1 mg/m ³		Ceiling: 5 mg/m ³	
ammonium iron(3+) (1:1:1),	Skin			
(OC-6-11)-				
25869-00-5				
Aluminum	TWA: 10 mg/m ³ TWA: 5	-	TWA: 8.75 mg/m ³ TWA: 4.5	TWA: 10 mg/m ³
7429-90-5	mg/m³		mg/m³ TWA: 4.4 mg/m³	

8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Eye/face protection Tight sealing safety goggles.

Skin and body protectionWear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off all contaminated clothing and wash it before reuse.

Regular cleaning of equipment, work area and clothing is recommended.

NEVER SEEZ BLUE MOLY

Revision Number 2 Supersedes Date: 29-Oct-2014

Revision Date 26-Mar-2019

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid
Appearance Paste
Color Blue
Odor Petroleum

Odor Threshold No information available

Property Values Remarks • Method

pH No information available
Melting point / freezing point
Boiling point / boiling range
Flash Point 246 °C / 475 °F
Evaporation Rate No information available
No data available
246 °C / 475 °F
No information available

Flammability (solid, gas) No information available Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor PressureNo information availableVapor DensityNo information availableRelative DensityNo information availableWater SolubilityNo information available

Solubility in Other Solvents

Partition coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity

No information available
No information available
No information available
No information available

Dynamic Viscosity No information available

Explosive properties No information available Oxidizing properties No information available

9.2. Other information

Softening PointNo information availableMolecular WeightNo information availableSolvent content (%)No information available

Solid content (%) 100
Density 1.2 g/cm³

VOC (volatile organic compound)

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

NEVER SEEZ BLUE MOLY

Revision Number 2 Supersedes Date: 29-Oct-2014

Revision Date 26-Mar-2019

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None known based on information supplied.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product InformationNo data availableInhalationNo data availableEye contactNo data available

Skin contact May cause sensitization by skin contact.

Ingestion No data available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat) 1 h
7440-02-0			
Molybdenum(IV) sulfide	-	-	> 2820 mg/m³ (Rat) 4 h
1317-33-5			
Zinc oxide	> 5000 mg/kg (Rat)	LD50 >2000 mg/Kg (Rat) (OECD	LC50 (4h) >5.7 mg/l
1314-13-2		402)	
Ferrate(4-), hexakis(cyano-C)-,	> 5000 mg/kg (Rat)	-	-
ammonium iron(3+) (1:1:1),			
(OC-6-11)-			
25869-00-5			
Aluminum	LD50 >10,000 mg/Kg (Rat)(OECD	-	-
7429-90-5	Guideline 401)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms
No information available.
Skin corrosion/irritation
Serious eye damage/eye irritation
Irritation
Corrosivity
No information available.
No information available.
No information available.

Sensitization May cause sensitization by skin contact.

Germ cell mutagenicity
Reproductive toxicity
Developmental Toxicity
Teratogenicity
STOT - single exposure

No information available.
No information available.
No information available.
No information available.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure if inhaled.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure. May cause adverse liver effects.

Target Organ Effects Eyes, retina, Skin, Lungs, Nasal Cavities, blood, Gastrointestinal tract (GI).

Aspiration hazard No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Nickel	-	Group 2B	Reasonably Anticipated	X

NEVER SEEZ BLUE MOLY
Revision Number 2

Revision Date 26-Mar-2019 Supersedes Date: 29-Oct-2014

7440-02-0

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Nickel 7440-02-0	EC50: =1.84 - 1.96 mg/L (72h,Spirodela polyrhiza)	LC50 96 h = 1.3 mg/L (Cyprus carpio)		EC50: =1mg/L (48h, Daphnia magna)
Zinc oxide 1314-13-2	LC 50 (72Hr) 0.136 mg/L	LC50 (96h) =0.7 mg/L Fish (Danio rerio)		LC 50 (48Hr) =0.5 mg/l (Ceriodaphnia dubia)
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)- 25869-00-5		LC50: >1000mg/L (96h, Leuciscus idus)		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

Note: The shipping descriptions shown here are for bulk shipments only, and may not apply to

shipments made in non-bulk packages (see regulatory definition)

The information shown here, may not always agree with the bill of lading shipping

NEVER SEEZ BLUE MOLY

Revision Number 2 Supersedes Date: 29-Oct-2014

description for the material

49 CFR 171.4(c) "Exceptions. Except when all or part of the transportation is by vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk

Revision Date 26-Mar-2019

packagings transported by motor vehicle, rail car or aircraft."

DOT

UN/ID No UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard Class 9
Packing Group III

Reportable Quantity (RQ) (Nickel: RQ (kg)= 45.40)

Special Provisions 146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33, 8

Description UN3077, Environmentally hazardous substance, solid, n.o.s.(Zinc oxide), 9, III, Marine

Pollutant

171

Emergency Response Guide

Number

-

<u>IATA</u>

UN Number UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Transport hazard class(es) 9
Packing Group III
ERG Code 9L

Special Provisions A158, A179, A97, A197

Description UN3077, Environmentally hazardous substance, solid, n.o.s.(Zinc oxide), 9, III

IMDG

UN Number UN3077

UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

Transport hazard class(es) 9
Packing Group III
EmS-No. F-A, S-F

Special Provisions 274, 335, 966, 967, 969

Description UN3077, Environmentally hazardous substance, solid, n.o.s.(Zinc oxide), 9, III, Marine

Pollutant

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.
Nickel	7440-02-0
Zinc oxide	1314-13-2
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)-	25869-00-5

Revision Number 2 Supersedes Date: 29-Oct-2014

Revision Date 26-Mar-2019

SARA 311/312 Hazard Categories

NEVER SEEZ BLUE MOLY

Acute Health HazardYesChronic Health HazardYesFire hazardNoSudden release of pressure hazardNoReactive HazardNo

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 26-Mar-2019

Revision note SDS sections updated, 1, 4, 5, 6, 7, 8, 11, 12, 14, 15, 16.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet